



COMPATIBILITY
EB Series **EVOLUTION®**
[ø3.6 / ø4.2]



TEMPORARY ABUTMENT/ OPEN TRAY COPING

Platform			Coping screw
ø3.6	IPD/EB-PN-06	IPD/EB-PN-07	IPD/EB-TN-00/C
ø4.2	IPD/EB-PR-06	IPD/EB-PR-07	IPD/EB-TR-00/C

The same abutment can be used as a temporary abutment with the occlusal screw or as an impression coping using the coping screw.




HEALING ABUTMENT

Platform	Height (mm)	Reference
ø3.6	3.5	IPD/EB-DN-03
	4.5	IPD/EB-DN-04
	5.5	IPD/EB-DN-05
ø4.2	3.5	IPD/EB-DR-03
	4.5	IPD/EB-DR-04
	5.5	IPD/EB-DR-05



Compatibility
ZIMMER®
FA Series
SCREW VENT®
[ø3.5 / ø4.5 / ø5.7]





COMPATIBILITY
FA Series **SCREW VENT®**
[ø3.5 / ø4.5 / ø5.7]



COMPATIBILITY
FA Series **SCREW VENT®**
[ø3.5 / ø4.5 / ø5.7]



ANALOG / DIGITAL ANALOG

Platform	Reference	Digital reference
ø3.5	IPD/FA-AN-00	IPD/FA-AN-00/3D
ø4.5	IPD/FA-AR-00	IPD/FA-AR-00/3D
ø5.7	IPD/FA-AW-00	IPD/FA-AW-00/3D
Lower Screw	-	IPD/KA-TA-00
Transverse Screw	-	IPD/KA-TA-01



SCREW

Platform	Screwdriver	Seat	Reference	TiN Reference
ø3.5 ø4.5 ø5.7	1.25 Hex	Conical	IPD/FA-TR-00	IPD/FA-TR-00/TiN

 HEX 1.25 Lengths 18/25/32 mm. Please see page 224 for more information.



TPA SCREW FOR ANGLED PROSTHESIS

Platform	Screwdriver	Seat	Reference
ø3.5 ø4.5 ø5.7	TPA	Conical	IPD/FA-TR-50

 Lengths 18/25/32 mm. Please see page 226 for more information.



INTRA-ORAL / DESKTOP / CONTACT PROBE SCAN BODY

Platform	Height (mm)		
ø3.5	10	IPD/FA-SN-00	IPD/FA-SN-01
	15	IPD/FA-SN-02	-
ø4.5	10	IPD/FA-SR-00	IPD/FA-SR-01
	15	IPD/FA-SR-02	-
ø5.7	10	IPD/FA-SW-00	IPD/FA-SW-01
	15	IPD/FA-SW-02	-

Captive screw included. 1.20 Hex Screwdriver.



INTERFACE

Platform	Height (mm)		
ø3.5	0.5	IPD/FA-IN-00/3D	IPD/FA-IN-01/3D
	1.5	IPD/FA-IN-02/3D	IPD/FA-IN-03/3D
	2.5	IPD/FA-IN-04/3D	IPD/FA-IN-05/3D
	0.5	IPD/FA-IR-00/3D	IPD/FA-IR-01/3D
ø4.5	1.5	IPD/FA-IR-02/3D	IPD/FA-IR-03/3D
	2.5	IPD/FA-IR-04/3D	IPD/FA-IR-05/3D
ø5.7	0.5	IPD/FA-IW-00/3D	IPD/FA-IW-01/3D

High version of the non-engaging Custom Interface subject to availability.
Please see page 188 for the  Custom Interface System® accessories.



STRAIGHT AND ANGLED MULTI-UNIT ABUTMENT

Straight, 17° & 30°

Platform	Height (mm)	Straight	17°	30°
ø3.5	0.9	IPD/FA-MN-00	-	-
	1.5	IPD/FA-MN-01	-	-
	2.5	IPD/FA-MN-02	IPD/FA-MN-12	-
	3.5	IPD/FA-MN-03	IPD/FA-MN-13	IPD/FA-MN-33
	4.5	IPD/FA-MN-04	-	IPD/FA-MN-34
ø4.5	1.5	IPD/FA-MR-01	-	-
	2.5	IPD/FA-MR-02	-	-
	3.0	-	IPD/FA-MR-13	-
	3.5	IPD/FA-MR-03	-	IPD/FA-MR-33
	4.0	-	IPD/FA-MR-14	-
	4.5	IPD/FA-MR-04	-	IPD/FA-MR-34

Our straight multi-units can be used for single and multiple restorations.
Please see page 198 for the Multi-unit system accessories.



STRAIGHT AND ANGLED CASTABLE ABUTMENT WITH A Co-Cr BASE

Straight, 15° & 25°

Platform	Angulation		
ø3.5	Straight	IPD/FA-BN-00	IPD/FA-BN-01
	15°	IPD/FA-BN-10	IPD/FA-BN-11
	25°	IPD/FA-BN-20	IPD/FA-BN-21
ø4.5	Straight	IPD/FA-BR-00	IPD/FA-BR-01
	15°	IPD/FA-BR-10	IPD/FA-BR-11
	25°	IPD/FA-BR-20	IPD/FA-BR-21

All angled castable abutments include a TPA screw.



Co-Cr 3D BASE / SCAN BODY

Platform				Scan Body
ø3.5	Straight / Angled	IPD/FA-BN-00/3D	IPD/FA-BN-01/3D	IPD/SC-AN-B1
ø4.5	Straight	IPD/FA-BR-00/3D	IPD/FA-BR-01/3D	IPD/SC-AN-B1
	Angled	IPD/FA-BR-A0/3D	IPD/FA-BR-A1/3D	IPD/SC-AN-B1



PSD OVERDENTURE ABUTMENT

Platform	Height (mm)	Reference
ø3.5	1.0	IPD/FA-LN-01
	2.0	IPD/FA-LN-02
	3.0	IPD/FA-LN-03
	4.0	IPD/FA-LN-04
	5.0	IPD/FA-LN-05
ø4.5	1.0	IPD/FA-LR-01
	2.0	IPD/FA-LR-02
	3.0	IPD/FA-LR-03
	4.0	IPD/FA-LR-04
	5.0	IPD/FA-LR-05

Please see page 208 for the PSD system accessories.





COMPATIBILITY FA Series SCREW VENT® [ø3.5 / ø4.5 / ø5.7]



TEMPORARY ABUTMENT/ OPEN TRAY COPING

Platform			Coping screw
ø3.5	IPD/FA-PN-06	IPD/FA-PN-07	IPD/FA-TR-00/C
ø4.5	IPD/FA-PR-06	IPD/FA-PR-07	IPD/FA-TR-00/C
ø5.7	IPD/FA-PW-06	IPD/FA-PW-07	IPD/FA-TR-00/C

The same abutment can be used as a temporary abutment with the occlusal screw or as an impression coping using the coping screw.

OPEN TRAY COPING

Platform		Reference
ø3.5	Open tray coping	IPD/FA-CN-00
ø5.7	Open tray coping	IPD/FA-CW-00

Classic design.

HEALING ABUTMENT

Platform	Height (mm)	Reference
ø3.5	1.5	IPD/FA-DN-01
	3.0	IPD/FA-DN-03
	5.0	IPD/FA-DN-05
ø4.5	1.5	IPD/FA-DR-01
	3.0	IPD/FA-DR-03
	5.0	IPD/FA-DR-05

STRAIGHT AND ANGLED ABUTMENT

Straight, 15° & 25°

Platform	Height (mm)	Angulation	Reference
ø3.5	1.0	Straight	IPD/FA-PN-00
		15°	IPD/FA-PN-02
		25°	IPD/FA-PN-04
	2.0	Straight	IPD/FA-PN-01
		15°	IPD/FA-PN-03
		25°	IPD/FA-PN-05

CASTABLE

Platform		
ø3.5	IPD/FA-HN-00	IPD/FA-RN-00
ø4.5	IPD/FA-HR-00	IPD/FA-RR-00
ø5.7	IPD/FA-HW-00	IPD/FA-RW-00



Compatibility ZIMMER® FB Series SWISSPLUS® [ø4.8]



 The registered brands in IPD 2004 are the property of IMPLANT PROTESIS DENTAL 2004 SL. The other brands mentioned are the property of their respective owners, and IMPLANT PROTESIS DENTAL 2004 SL has no relationship with either they or the aforementioned brands.